Funktionella
Tillstånd

Research

Physiotherapy for functional motor disorders: a consensus recommenda

Glenn Nielsen,[1,2] Jon Stone,[3] Audrey Ma
Ross Farmer,[6] Lindsay Masterton,[7] Linsey
Carrie Lumsden,[8] Alan Carson,[9] Anthony

[1]Sobell Department of Motor Neuroscience and Movement Disorders, UCL Institute of Neurology, Queen Square, London, UK.
[2]Therapy Services, The National Hospital for Neurology and

ABSTRACT

Background: Patients with functional motor disorder (FMD) including weakness and paralysis are commonly

BMJ







”There is a widespread agreement that the way health professionals communicate the diagnosis of functional neurologic disorders has a central role in treatment…”

(Stone, Carson, Hallet (2016): *Explanation as treatment for functional neurologic disorders,* Handbook of clinical neurology Vol 139)

Mark J Edwards

- Professor of Neurology at St George's, University of London Atkinson Morley Regional Neuroscience Centre

- Runs a specialist outpatient service for the diagnosis and treatment of functional movement disorders and other functional neurological disorders

Handbook of Clinical Neurology, Vol. 139 (3rd series)
Functional Neurologic Disorders
M. Hallett, J. Stone, and A. Carson, Editors
http://dx.doi.org/10.1016/B978-0-12-801772-2.00012-6
© 2016 Elsevier B.V. All rights reserved

Chapter 12

Neurobiologic theories of functional neurologic disorders

M.J. EDWARDS*
Department of Molecular and Clinical Sciences, St George's University of London and Atkinson Morley Regional Neuroscience Centre, St George's University Hospitals NHS Foundation Trust, London, UK

Abstract

Although neurobiologic theories to explain functional neurologic symptoms have a long history, a relative lack of interest in the 20th century left them far behind neurobiologic understanding of other illness. Here we review the proposals for neurobiologic mechanisms of functional neurologic symptoms that have been made over time and consider how they might inform our diagnostic and treatment methods, and how they integrate with psychologic formulations of functional symptoms. Modern approaches map on to recent






MOTOR CONVERSION DISORDER
Clinical Characteristics and Outcome among Patients with Medically Unexplained Loss of Motor Function
Michael Binzer
Umeå 1998



Allvarlig, sjukhuskrävande FNS



Umeå: Neurologen

Sandviken:
Rehabiliteringsmedicin

Stockholm:
Psykiatri + Neurologi +
Rehabiliteringsmedicin
(Huddinge)

Rehab Station Stockholm

Örebro:
Neurologen

Karlstad:
Neurologen

Jönköping:
Rehabiliteringsmedicin

”Bubblare”

Uppsala:
Neurologen

Uddevalla:
Rehabiliterings-
medicin

Linköping:
Rehabiliterings-
medicin

Göteborg:
Neurologen
(PNES)

RESURSER

- http://www.neurosymptoms.org
- **http://www.funktionellasymptom.se**
- http://www.nonepilepticattacks.info
- http://www.funktionellelidelser.dk/en
- http://www.fnforum.org
- Maillista för intresserade läkare i Sverige: maila carl.sjostrom@regiongavleborg.se
- Föreningen för Konsultationspsykiatri http://www.svenskpsykiatri.se